ELSEVIER

Neuroscience Letters 289 (2000) 239–241

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 289

Volume 289, no. 1

Guidelines for the submission of manuscripts v

Expression of fos-related antigen-2 in rat hippocampus after middle cerebral arterial occlusion
K.R. Pennypacker, S. Eidizadeh, C.A. Kassed, J.P. O'Callaghan, P.R. Sanberg, A.E. Willing (USA) 1

Cortical interleukin-1β elevation after traumatic brain injury in the rat: no effect of two selective antagonists on motor recovery
S.M. Knoblach, A.I. Faden (USA) 5

Spectro-temporal receptive fields of midbrain auditory neurons in the rat obtained with frequency modulated stimulation
P.W.F. Poon, P.P. Yu (Republic of China) 9

In utero ethanol exposure decreases rapid eye movement sleep in female Sprague–Dawley rat offspring
L. Sylvester, C.M. Kapron, C. Smith (Canada) 13

Peripheral chemoreceptor activation enhances 5-hydroxytryptamine release in the locus coeruleus of conscious rats
N. Singewald, D. Kouvelas, S.T. Kaehler, C. Sinner, A. Philippu (Austria, Greece) 17

Involvement of σ_1 receptors in methamphetamine-induced behavioral sensitization in rats
S. Takahashi, T. Miwa, K. Horikomi (Japan) 21

Oxytocin depresses spontaneous γ-aminobutyric acid-ergic inhibitory postsynaptic currents in cultured mitral cells of the rat olfactory bulb by a presynaptic mechanism
Y. Osako, T. Otsuka, M. Taniguchi, T. Oka, H. Kaba (Japan) 25

Alpha-synuclein immunoreactivity of huntingtin polyglutamine aggregates in striatum and cortex of Huntington's disease patients and transgenic mouse models
V. Charles, E. Mezey, P.H. Reddy, A. Dehejia, T.A. Young, M.H. Polymeropoulos, M.J. Brownstein, D.A. Tagle (USA) 29

Non-invasive magnetoneurography for 3D-monitoring of human compound action current propagation in deep brachial plexus
B.-M. Mackert, M. Burghoff, L.-H. Hiss, M. Nordahn, L. Trahms, G. Curio (Germany) 33

Glutamate is the fast excitatory neurotransmitter of Small Cardioactive Peptide – containing *Aplysia* radula mechanoafferent neuron B21
A.N. Klein, K.R. Weiss, E.C. Cropper (USA) 37

Increased expression of p53 and Bax in the spinal cords of rats with experimental autoimmune encephalomyelitis
C. Moon, S. Kim, M. Wie, H. Kim, J. Cheong, J. Park, Y. Jee, N. Tanuma, Y. Matsumoto, T. Shin (South Korea, Japan) 41

Mediators of neuronal activation in the rat brain stem following intestinal anaphylaxis
M.E. Kreis, M. Müller, T.T. Zittel, J. Glatzle, D. Grundy (Germany, UK) 45

The novel non-competitive *N*-methyl-D-aspartate antagonist gacyclidine blocks the glutamate-induced release of hydroxyl radicals in the striatum under conditions in which dizocilpine does not. A microdialysis study in rats
L. Laplanche, J.-M. Kamenka, G. Barbanel (France) 49

Protective effect of microglial conditioning medium on neuronal damage induced by glutamate
H. Watanabe, H. Abe, S. Takeuchi, R. Tanaka (Japan) 53

Zolmitriptan reverses blink reflex changes induced during the migraine attack in humans
M. de Tommaso, M. Guido, G. Libro, V. Sciruicchio, F. Puca (Italy) 57

The genetic association between Cathepsin D and Alzheimer's disease
F.C. Crawford, M.J. Freeman, J. Schinka, L.I. Abdullah, D. Richards, S. Sevush, R. Duara, M.J. Mullan (USA) 61

A new mutation in the parkin gene in a patient with atypical autosomal recessive juvenile parkinsonism
E. Muñoz, P. Pastor, M.J. Martí, R. Oliva, E. Tolosa (Spain) 66

Changes in electrophysiological properties of axon terminals of locus coeruleus neurons with age in F344 rat
T. Shirokawa, Y. Ishida, K.-i. Isobe (Japan) 69

Detection of extracellular signal-regulated kinase1/2 in the inner ear of guinea pigs
A. Hess, O. Michel, T. Kopec, C. Wittekindt, W. Bloch, E. Stennert, K. Addicks (Germany) 72

[^{3}H]dihydroalprenolol binding to beta adrenergic receptors in multiple sclerosis brain
E. Zeinstra, N. Wilczak, J. De Keyser (Netherlands) 75

Acknowledgements to Reviewers 78

Volume 289, no. 2

The anti-oxidant ebselen antagonizes the release of the apoptogenic factor cytochrome *c* induced by Fe^{2+}/citrate in rat liver mitochondria
A. Boireau, P.-A. Maréchal, M. Meunier, P. Dubédat, S. Moussaoui (France) 95
A comparison of the patterns of striatal Fos-like immunoreactivity induced by various dopamine agonists in rats
D. Wirtshafter (USA) 99
Relations between early prespike magnetic field changes, interictal discharges, and return to basal activity in the neocortex of rabbits
U. Zwiener, M. Eiselt, F. Gießler, H. Nowak (Germany) 103
Effects of footshock stress on superoxide dismutase and glutathione peroxidase enzyme activities and thiobarbituric acid reactive substances levels in the rat prefrontal cortex and striatum
S. Gönenç, O. Açikgöz, B.M. Kayatekin, N. Uysal, M. Akhisaroglu (Turkey) 107
Luteinizing hormone secretion elicited in a ligand-independent activation of progesterone receptor manner at pituitary level in the rat: differential effect of two selective estrogen receptor modulators
D. González, C. Bellido, R. Aguilar, J.C. Garrido-Gracia, G. Hernández, R. Alonso, J.E. Sánchez-Criado (Spain) 111
Carassius RFamide, a novel FMRFa-related peptide, is produced within the retina and involved in retinal information processing in cyprinid fish
X. Wang, F. Morishita, O. Matsushima, M. Fujimoto (Japan) 115
Age-related change of neuropeptide Y-immunoreactive neurons in the rat main olfactory bulb
M.H. Won, T.-C. Kang, J.-C. Lee, K.-Y. Choi, S.-K. Park, Y.G. Jeong, S.M. Jo (South Korea) 119
Expression of neuronal nitric oxide synthase mRNA in stress-related brain areas after restraint in rats
R.M.W. de Oliveira, E. Aparecida Del Bel, M.L.N. Mamede-Rosa, C.M. Padovan, J.F.W. Deakin, F.S. Guimarães (Brazil, UK) 123
Adenosine A_{2A} receptor facilitation of synaptic transmission in the CA1 area of the rat hippocampus requires protein kinase C but not protein kinase A activation
R.A. Cunha, J.A. Ribeiro (Portugal) 127
Apomorphine-induced aggressive behaviour and post-mortem monoamine content in male Wistar rats
V. Matto, A. Vaarmann, R. Rudissaar, K. Pruus, T. Skrebuhhova-Malmros, L. Allikmets (Estonia) 131
The dynamic processes for word and picture encoding in the human brain as revealed by magnetoencephalography
Y. Wang, K. Sakuma, R. Kakigi (Japan) 135
Testosterone metabolites in patients reduce the levels of very long chain fatty acids accumulated in X-adrenoleukodystrophic fibroblasts
A. Petroni, N. Papini, M. Blasevich, V. Magnaghi, I. Cavarretta, C. Galli, R.C. Melcangi (Italy) 139
Muscular exercise improves knee position sense in humans
V. Bouët, Y. Gahéry (France) 143
Decreased frontal lobe ratio of *N*-acetyl aspartate to choline in familial schizophrenia: a proton magnetic resonance spectroscopy study
W. Block, T.A. Bayer, R. Tepest, F. Träber, M. Rietschel, D.J. Müller, T.G. Schulze, W.G. Honer, W. Maier, H.H. Schild, P. Falkai (Germany, Canada) 147
α-Melanocyte stimulating hormone prevents fasting-induced suppression of corticotropin-releasing hormone gene expression in the rat hypothalamic paraventricular nucleus
C. Fekete, G. Légrádi, E. Mihály, J.B. Tatro, W.M. Rand, R.M. Lechan (USA, Hungary) 152

Volume 289, no. 3

Lack of SOD1 gene mutations and activity alterations in two Italian families with amyotrophic lateral sclerosis
D. Gestri, C. Cecchi, A. Tedde, S. Latorraca, A. Orlacchio, E. Grassi, A.M. Massaro, G. Liguri, P.H. St. George-Hyslop, S. Sorbi (Italy, Canada) 157
Alteration in dopamine metabolism in the thermoregulatory center of exercising rats
H. Hasegawa, T. Yazawa, M. Yasumatsu, M. Otokawa, Y. Aihara (Japan) 161
Increase in level of tumor necrosis factor-α in 6-hydroxydopamine-lesioned striatum in rats is suppressed by immunosuppressant FK506
M. Mogi, A. Togari, K.-i. Tanaka, N. Ogawa, H. Ichinose, T. Nagatsu (Japan) 165
Time-sharing contributions of A- and D-type K^+ channels to the integration of high-frequency sequential excitatory post synaptic potentials at a model dendrite in rats
H. Takagi, R. Sato, M. Mori, T. Matsumoto, M. Saito, E. Ito, H. Suzuki (Japan) 169
Induction of heme oxygenase-1 in the brains of scrapie-infected mice
Y.-G. Choi, J.-I. Kim, H.-P. Lee, J.-K. Jin, E.-K. Choi, R.I. Carp, Y.-S. Kim (South Korea, USA) 173
ADAMTS-4 (a disintegrin and metalloproteinase with thrombospondin motifs) is transcriptionally induced in beta-amyloid treated rat astrocytes
K. Satoh, N. Suzuki, H. Yokota (Japan) 177

Effects of physostigmine and calcium on acetylcholine efflux from the hippocampus of freely moving rats as determined by in vivo microdialysis and a radioimmunoassay
T. Fujii, H. Harada, T. Koyama, Y. Nakajima, K. Kawashima (Japan) 181
Decreased cortical levels of astrocytic glutamate transport protein GLT-1 in a rat model of posttraumatic epilepsy
C. Samuelsson, E. Kumlien, R. Flink, D. Lindholm, E. Ronne-Engström (Sweden) 185
Protective effect of γ-glutamylethylamide (theanine) on ischemic delayed neuronal death in gerbils
T. Kakuda, H. Yanase, K. Utsunomiya, A. Nozawa, T. Unno, K. Kataoka (Japan) 189
Altered representation of peripersonal space in the elderly human subject: a sensorimotor approach
M. Ghafouri, F.G. Lestienne (Canada, France) 193
Immunocytochemical localization of putative γ-aminobutyric acid receptor subunits in the head ganglia of *Periplaneta americana* using an anti-RDL C-terminal antibody
D.B. Sattelle, J.B. Harrison, H.H. Chen, D. Bai, M. Takeda (UK, Japan) 197
Ibuprofen protects dopaminergic neurons against glutamate toxicity in vitro
D. Casper, U. Yaparpalvi, N. Rempel, P. Werner (USA) 201
Glatiramer acetate (Copolymer-1)-specific, human T cell lines: cytokine profile and suppression of T cell lines reactive against myelin basic protein
D. Dabbert, S. Rösner, M. Krämer, U. Schöll, H. Tumani, M. Mäder, F. Weber (Germany) 205
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced complex I inhibition is reversed by disulfide reductant, dithiothreitol in mouse brain
J. Annepu, V. Ravindranath (India) 209
Alzheimer's risk associated with human apolipoprotein E, alpha-2 macroglobulin and lipoprotein receptor related protein polymorphisms: absence of genetic interactions, and modulation by gender
M.J. Bullido, P. Guallar-Castillón, M.J. Artiga, M.C. Ramos, I. Sastre, J. Aldudo, A. Frank, F. Coria, F. Rodríguez-Artalejo, F. Valdivieso (Spain) 213
Neurotrophins and trk-receptors in adult rat spinal motoneurons: differences related to cell size but not to 'slow/fast' specialization
S. Copray, D. Kernell (Netherlands) 217
CuZn-superoxide dismutase transgenic mice: no effect on longevity, locomotor activity and ^{3}H-mazindol and ^{3}H-spiperone binding over 19 months
I.M. Gallagher, P. Jenner, V. Glover, A. Clow (UK) 221
Allelic association between the D10S1423 marker and Alzheimer's disease in a German population
M. Majores, M. Bagli, A. Papassotiropoulos, S.G. Schwab, F. Jessen, M.L. Rao, W. Maier, R. Heun (Germany) 224
Pleasant odors attenuate the blood pressure increase during rhythmic handgrip in humans
M. Nagai, M. Wada, N. Usui, A. Tanaka, Y. Hasebe (Japan) 227
Effects of apolipoprotein E phenotypes on the neuropsychological functions of community-dwelling elderly individuals without dementia
J. Chey, J.-W. Kim, H.-Y. Cho (South Korea) 230

Author Index to Volume 289 235
Contents to Volume 289 239